

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows.

1. (Currently Amended) A decoder for controlling the display of a plurality of digital television channels ~~in respective windows of a mosaic formation~~, wherein said decoder is configured to:
 - receive ~~a at least one encrypted~~ program ~~in encrypted form on a first channel of the plurality of digital television channels~~, wherein the ~~at least one encrypted~~ program comprises both encrypted audio and encrypted video;
 - receive the program in unencrypted form on a second channel of the plurality of digital television channels, wherein the second channel corresponds to a mosaic comprising a plurality of windows;
 - create the [[a]] mosaic comprising a plurality of unencrypted programs, including the at least one encrypted program in unencrypted form, wherein each of the plurality of encrypted programs is shown within a respective window of the plurality of windows;
 - display the mosaic;
 - receive a selection for the ~~at least one encrypted~~ program ~~in unencrypted form~~ in the mosaic on the second channel; and
 - determine whether ~~complete full~~ access rights exist for the ~~selected~~ program while the ~~selected~~ program is displayed in the mosaic on the second channel;wherein the decoder is configured to prohibit one of only audio access and only visual access to the ~~selected~~ program while the ~~selected~~ program is displayed in the mosaic on the second channel upon a determination that ~~complete full~~ access rights are not available for the ~~corresponding at least one encrypted~~ program, wherein the one of only audio access and only visual access is prohibited for the ~~at least one encrypted~~ program on the second channel after a predetermined length of time, and wherein complete audio and visual access to the ~~selected~~ program is provided on the second channel during the predetermined length of time.

2. (Previously Presented) The decoder according to Claim 1, wherein the decoder receives access rights data together with audiovisual data for creating the mosaic.
3. (Currently Amended) The decoder according to Claim 2, wherein the decoder is further configured to issue a request for full audio and visual access to one of ~~[[a]]~~ the first channel and ~~[[a]]~~ the program displayed in [[a]] the respective window.
4. (Currently Amended) The decoder according to claim 1, wherein the decoder is further configured to generate a cursor for display with the mosaic ~~formation~~, said cursor being selectively movable over the plurality of windows of the mosaic ~~formation~~ to enable selection of a desired window within the mosaic ~~formation~~.
5. (Currently Amended) The decoder according to Claim 4, wherein the decoder is further configured to generate audio information associated with ~~a-particular~~ the first channel in response to the positioning of the cursor over said desired window displaying said ~~particular~~ first channel.
6. (Currently Amended) The decoder according to Claim 5, wherein the decoder is further configured to prohibit the generation of said audio information according to ~~[[the]]~~ received access rights.
7. (Currently Amended) The decoder according to Claim 6, wherein the decoder is configured to prohibit the generation of said audio information if the cursor is positioned over said desired window for longer than a predetermined length of time.
8. (Currently Amended) The decoder according to Claim 3, wherein the decoder is arranged automatically to issue said request when a cursor has been positioned over ~~[[that]]~~ said desired window for a predetermined period of time.
9. (Currently Amended) The decoder according to Claim 4, wherein the decoder is further configured to automatically ~~re-positioning~~ re-position the cursor in the event that the cursor

is placed over [[a]] said desired window displaying one of a program or a channel to which full audio and visual access is prohibited.

10. (Previously Presented) The decoder according to Claim 9, wherein the cursor is re-positioned after the expiration of a predetermined period of time.
11. (Currently Amended) The decoder according to claim 4, wherein an attribute of the cursor is changed depending on a characteristic of at least one of the program and the first channel displayed in a window over which the cursor is positioned.
12. (Canceled)
13. (Currently Amended) The decoder according to Claim 11, wherein a color of said cursor is changed depending on said characteristic of at least one of [[a]] the program and [[a]] the first channel displayed in the window over which the cursor is positioned.
14. (Previously Presented) The decoder according to claim 11, wherein the decoder receives data for assigning said characteristic from a remote control handset associated with the decoder and assigns said characteristic in response to said received data.
15. (Currently Amended) The decoder according to claim 4, wherein the decoder is turned to [[a]] the first channel displayed in the desired window upon selection of the desired window.
16. (Previously Presented) The decoder according to claim 4, comprising means for generating a display comprising information regarding the program displayed in the desired window upon selection of the desired window.
17. (Currently Amended) The decoder according to claim 1, wherein said decoder is further configured to:
 - generate a cursor for display with the mosaic ~~formation~~, said cursor being selectively movable over the plurality of windows of the mosaic ~~formation~~ to enable selection of a desired window within the mosaic ~~formation~~;

generate a display comprising information regarding the program displayed in the desired window upon selection of the desired window[.]; and
communicate with a communications centre to obtain said information regarding the program displayed in the desired window.

18. (Previously Presented) The decoder according to claim 16, comprising means for communicating with a communications centre to obtain said information regarding the program displayed in the desired window.
19. (Previously Presented) The decoder according to claim 18, wherein the decoder comprises a modem for dialing up said communications centre to supply a request for said information to the communications centre.
20. (Previously Presented) The decoder according to claim 4, wherein the decoder is further configured to generate a display comprising a forthcoming program schedule for the channel displayed in the desired window upon selection of the desired window.
21. (Canceled)
22. (Previously Presented) The decoder according to claim 20, wherein said forthcoming program schedule comprises a textual display of program schedule information.
23. (Currently Amended) The decoder according to claim 20, wherein said forthcoming program schedule comprises a display of a plurality of pictorial images associated with respective forthcoming programs in the respective windows of [[a]] the mosaic formation.
24. – 26. (Canceled)
27. (Previously Presented) The decoder according to claim 23, wherein at least one of said plurality of pictorial images comprises video footage associated with the respective forthcoming program.
28. (Currently Amended) The decoder according to claim 1, wherein said decoder is configured to receive [[said]] access rights from a remote control handset associated with the decoder.

29. (Previously Presented) The decoder according to claim 28, wherein said decoder is further configured to receive a PIN number from the remote control handset, wherein said decoder authenticates the received PIN number and, upon authentication of the received PIN number, permits reception of the access rights.
30. (Currently Amended) The decoder according to claim 1, wherein the decoder prohibits the generation of at least a portion of video information in said plurality of windows in dependence on the full access rights to one of a program and a channel displayed in ~~[[that]]~~ a window among said plurality of windows.
31. (Previously Presented) The decoder according to claim 30, wherein the decoder controls the display of a picture in said window instead of said at least a portion of video information.
32. (Previously Presented) The decoder according to claim 31, wherein said picture comprises a logo associated with the channel displayed in said window.
33. (Previously Presented) The decoder according to claim 31, wherein said picture comprises an image associated with the program displayed in said window.
34. (Previously Presented) The decoder according to claim 30, wherein the decoder controls the display of an advertisement in said window instead of said at least a portion of video information.
35. (Previously Presented) The decoder according to claim 30, wherein the decoder controls the display of further video information in said window instead of said at least a portion of video information.
36. (Previously Presented) The decoder according to claim 35, wherein said further video information comprises promotional video information.
37. (Currently Amended) The decoder according to claim 1, wherein the decoder is further configured to generate a message informing a user of the full access rights to one of ~~[[a]]~~ the

program and [[a]] the first channel in the event of the positioning of the cursor on a [[said]] window displaying said one of [[a]] the program and [[a]] the first channel.

38. (Currently Amended) The decoder according to claim 1, wherein the decoder is configured to positionally control the relative positions of said plurality of windows within the mosaic formation, wherein the relative position of said plurality of windows is controlled based on the full access rights to [[the]] programs displayed in the mosaic.

39. – 50. (Canceled)

51. (Currently Amended) A method of controlling the display of a plurality of digital television channels ~~in respective windows of a mosaic formation~~, comprising:

receiving ~~at least one encrypted~~ a program in encrypted form on a first channel of the plurality of digital television channels, wherein the ~~at least one encrypted~~ program comprises both encrypted audio and encrypted video;

receiving the program in unencrypted form on a second channel of the plurality of digital television channels, wherein the second channel corresponds to a mosaic comprising a plurality of windows;

creating the [[a]] mosaic comprising a plurality of unencrypted programs, including the ~~at least one encrypted~~ program in unencrypted form, ~~wherein each of the plurality of encrypted programs is shown within a respective window of the plurality of windows;~~

displaying the mosaic;

receiving a selection for the ~~at least one encrypted~~ program ~~in unencrypted form~~ in the mosaic; and

determining whether ~~complete~~ full access rights exist for the ~~selected~~ program while the ~~selected~~ program is displayed in the mosaic on the second channel;

wherein [[the]] a decoder is configured to prohibit one of only audio access and only visual access to the ~~selected~~ program while the ~~selected~~ program is displayed in the mosaic on the second channel upon a determination that ~~complete~~ full access rights are not available for the ~~corresponding at least one encrypted~~ program, wherein the one of only audio access and only visual access is prohibited for the

~~at least one encrypted program on the second channel~~ after a predetermined length of time, and wherein complete audio and visual access to the selected program is provided on the second channel during the predetermined length of time.

52. (Currently Amended) The method according to claim 51, wherein [[the]] access rights are received together with audiovisual data for creating the mosaic.
53. (Currently Amended) The method according to claim 51, wherein a cursor is generated for display with the mosaic ~~formation~~, said cursor being selectively movable over the plurality of windows of the mosaic ~~formation~~ to enable selection of a desired window within the mosaic ~~formation~~.
54. (Currently Amended) The method according to claim 53, wherein audio information associated with ~~a particular~~ the first channel is generated in response to the positioning of the cursor over [[a]] said desired window displaying said ~~particular~~ first channel.
55. (Currently Amended) The method according to claim 54, wherein the generation of said audio information is prohibited according to [[the]] received access rights.
56. (Currently Amended) The method according to claim 55, wherein the generation of said audio information is prohibited if the cursor is positioned over said desired window for longer than a predetermined length of time.
57. (Currently Amended) The method according to claim 53, wherein the cursor is automatically re-positioned in the event that the cursor is placed over [[a]] said desired window displaying one of a program or a channel to which full audio and visual access is prohibited.
58. (Previously Presented) The method according to claim 57, wherein the cursor is repositioned after the expiration of a predetermined period of time.
59. (Currently Amended) The method according to claim 53, wherein an attribute of the cursor is changed depending on a characteristic of at least one of the program and the first channel displayed in the window over which the cursor is positioned.

60. (Canceled)

61. (Currently Amended) The method according to claim 59, wherein the colour of said cursor is changed depending on said characteristic of at least one of the program and the first channel displayed in the window over which the cursor is positioned.

62. – 64. (Canceled)

65. (Previously Presented) The method according to claim 51, further comprising:

~~generating a cursor for display with the mosaic formation, said cursor being selectively movable over the plurality of windows of the mosaic formation to enable selection of a desired window within the mosaic formation;~~

~~generating a display comprising information regarding the program displayed in the desired window upon selection of the desired window[[,]]; and~~

~~communicating with a communications centre to obtain said information regarding the program displayed in the desired window.~~

66. – 75. (Canceled)

76. (Currently Amended) The method according to claim 51, wherein [[said]] access rights are received from a remote control handset associated with the decoder.

77. (Previously Presented) The method according to claim 76, wherein a PIN number is received from the remote control handset, the received PIN number being authenticated to, upon authentication of the received PIN number, permit reception of the access rights.

78. (Currently Amended) The method according to claim 51, wherein the generation of at least a portion of video information in a [[said]] window is prohibited in dependence on [[the]] access rights to one of a program and a channel displayed in [[that]] said window.

79. (Previously Presented) The method according to Claim 78, wherein a picture is displayed in said window instead of said at least a portion of video information.

80. (Previously Presented) The method according to Claim 79, wherein said picture comprises a logo associated with the channel displayed in said window.
81. (Previously Presented) The method according to Claim 80, wherein said picture comprises an image associated with the program displayed in said window.
82. (Previously Presented) The method according to Claim 78, wherein an advertisement is displayed in said window instead of said at least a portion of video information.
83. (Previously Presented) The method according to Claim 78, wherein further video information is displayed in said window instead of said at least a portion of video information.
84. (Previously Presented) The method according to Claim 83, wherein said further video information comprises promotional video information.
85. (Currently Amended) The method according to claim 51, wherein a message is generated informing a user of the full access rights to one of ~~[[a]] the~~ program and ~~[[a]] the first~~ channel in the event of the positioning of the cursor on a said window displaying said ~~one of~~ a program and ~~[[a]] said~~ channel.
86. (Currently Amended) The method according to claim 51, comprising controlling the relative positions of said plurality of windows within the mosaic ~~formation~~.
87. (Currently Amended) The method according to Claim 86, wherein the relative positions of said plurality of windows are controlled in response to ~~[[the]]~~ received access rights to the plurality of digital television channels or programs displayed in each of said plurality of windows.
88. – 109. (Canceled)

110. (Previously Presented) The method according to claim 59, wherein data for assigning said characteristic is received from a remote control handset associated with the decoder, said characteristic being assigned in response to the received data.

111. (Currently Amended) The method according to claim 53, wherein the decoder is turned on [[a]] the first channel displayed in the desired window ~~is generated~~ upon selection of the desired window.

112. (Previously Presented) The method according to claim 53, wherein a display comprising information regarding the program displayed in the desired window is generated upon selection of the desired window.

113. (Previously Presented) The method according to claim 53, wherein a display comprising a forthcoming program schedule for the channel displayed in the desired window is generated upon selection of the desired window.

114. (Previously Presented) The method according to claim 53, wherein a forthcoming program schedule comprises a textual display of program schedule information.

115. (Canceled)

116. (Currently Amended) The method according to claim 53, wherein a forthcoming program schedule comprises a display of a plurality of pictorial images associated with respective forthcoming programs in the respective windows of [[a]] the ~~mosaic formation~~.

117. – 118. (Canceled)

119. (Currently Amended) The method according to claim 65, wherein the generation of at least a portion of video information in said desired window is prohibited in dependence on [[the]] access rights to one of [[a]] the program and [[a]] the first channel displayed in that desired window.

120. – 126. (Canceled)

127. (Currently Amended) The method according to claim 86, wherein the relative positions of said plurality of windows of the mosaic ~~formation~~ are controlled in response to received window

positioning data for controlling the relative positions of said plurality of windows within the mosaic ~~formation~~.

128. – 130. (Canceled)

131. (Currently Amended) The method according to claim 86, wherein the relative positions of the plurality of windows of the mosaic ~~formation~~ are controlled according to a program characteristic of programs normally shown on the plurality of digital television channels displayed in the plurality of windows.

132. – 134. (Canceled)

135. (Currently Amended) The method according to claim 86, wherein a window displaying one of a particular channel and a particular program is maintained in a constant position in the mosaic ~~formation~~.

136. – 140. (Canceled)

141. (Currently Amended) A decoder for controlling the display of a plurality of digital television channels, said decoder comprising:

means for receiving a first ~~encrypted~~ program in encrypted form on a first channel of the plurality of digital television channels and a second ~~encrypted~~ program in encrypted form on a second channel of the plurality of digital television channels, wherein the first and second ~~encrypted~~ programs comprise both encrypted audio and encrypted video;

means for receiving the first and second programs in unencrypted form on a third channel of the plurality of digital television channels, wherein the third channel corresponds to a mosaic comprising a plurality of windows;

means for displaying [[a]] the mosaic comprising a plurality of unencrypted programs, including the first ~~encrypted-program~~ and [[the]] second ~~encrypted-program~~ programs in unencrypted form;

means for receiving a selection from a user for access to the first ~~encrypted~~ program displayed ~~in unencrypted form~~ in the mosaic on the third channel; and

means for determining whether ~~complete full~~ access rights exist for the ~~selected~~ first ~~encrypted~~ program while the ~~selected~~ first program is displayed in the mosaic on the third channel;

wherein the decoder is configured to prohibit one of only audio access and only visual access to the unencrypted form of the ~~selected~~ first ~~encrypted~~ program while the ~~selected~~ first program is displayed in the mosaic upon a determination that ~~complete full~~ access rights are not available for the first ~~encrypted~~ program, and wherein the one of only audio access and only visual access is prohibited for the first ~~encrypted~~ program on the third channel after a predetermined length of time, and wherein complete audio and visual access to the ~~selected~~ first program is provided on the third channel during the predetermined length of time.

142. (Currently Amended) The decoder according to claim 141, further comprising:

means for determining whether ~~[[a]]~~ the user is permitted ~~complete full~~ access to the second ~~encrypted~~ program based on ~~[[the]]~~ access rights associated with the user; means for permitting one of only audio access or only visual access by the user to the unencrypted form of the second ~~encrypted~~ program displayed in ~~said windows of~~ the mosaic formation, when the user is not permitted ~~complete full~~ access to the second ~~encrypted~~ program; and

means for providing complete audio and visual access to the user to the ~~unencrypted form of the~~ second ~~encrypted~~ program on the second channel, when full access rights associated with the user are received for the second ~~encrypted~~ program.

143. (Currently Amended) The decoder of claim 1, wherein the ~~selected~~ program in the mosaic is completely blacked out by the ~~receiver~~/decoder when the full access rights are not received after the predetermined length of time.

144. (Currently Amended) The method of claim 51, wherein the ~~selected~~ program in the mosaic is completely blacked out by the ~~receiver~~/decoder when the full access rights are not received after the predetermined length of time.

145. (Currently Amended) The decoder of claim 1, wherein ~~completely~~ full access to [[the]] non-selected unencrypted programs in the mosaic is permitted.

146. (Currently Amended) The decoder of claim 1, wherein video access is prohibited to the ~~unencrypted programs~~ program in the mosaic on the second channel.